

Colored Gel EyeLiner GREY

Page 1 of 2

COLOUR COSMETICS | EYE MAKE-UP
RR-05-92-00

Tentative Formulation

Discover timeless elegance with our new gel eyeliner in a warm shade of gray! Add a touch of sophistication to your eyes and create stylish accents that last all day long.

Our innovative, natural **WorléeColor** shades allows for effortless application and **WorléeMicromer Eco 100** ensures a precise, long-lasting liner that won't smudge or fade. Whether you want subtle lines for a natural look or a bolder look for special occasions, our gel eyeliner gives you complete control over your look.

Formulation

Phase	Ingredient Trade Name	INCI	Supplier	%
A	Purolan® BG	BUTYLENE GLYCOL	LANXESS Deutschland GmbH	2.00
A	Keltrol® CG-SFT	XANTHAN GUM	CP Kelco Germany GmbH	1.00
B	Water	AQUA/WATER	/	62.60
B	SymSave® H	HYDROXYACETOPHENONE	Symrise AG	0.40
B	Hydrolite® 6	1,2-HEXANEDIOL	Symrise AG	0.40
B	WorléeColor Eco White	CI 77891/ TITANIUM DIOXIDE, AQUA/WATER, GLYCERIN, POLYGLYCERYL-10 LAURATE, PHENYLPROPANOL, SODIUM CITRATE, XANTHAN GUM, GLYCERYL ISOSTEARATE, CITRIC ACID	Worlée-Chemie GmbH	4.00
B	WorléeColor Eco Iron Blue	AQUA/WATER, CI 77510/FERRIC AMMONIUM FERROCYANIDE, GLYCERIN, POLYGLYCERYL-10 LAURATE, SODIUM CITRATE, PHENYLPROPANOL, XANTHAN GUM, GLYCERYL ISOSTEARATE, CITRIC ACID	Worlée-Chemie GmbH	1.00
B	WorléeColor Eco Red IO	CI 77491/IRON OXIDES, AQUA/WATER, GLYCERIN, POLYGLYCERYL-10 LAURATE, PHENYLPROPANOL, XANTHAN GUM, SODIUM CITRATE, GLYCERYL ISOSTEARATE, CITRIC ACID	Worlée-Chemie GmbH	3.00
B	WorléeMicromer Eco 100/10-L1	ACRYLIC ACID / ISOBUTYL ACRYLATE / ISOBORNYL ACRYLATE COPOLYMER, AQUA/WATER, SODIUM METHYL 2-SULFOLAURATE, COCO-GLUCOSIDE, DISODIUM 2-SULFOLAURATE	Worlée-Chemie GmbH	25.00
C	L-Arginine C-Grade	ARGININE	S.A. Ajinomoto OmniChem	0.60

Procedure

- Disperse Xanthan Gum in Butylene Glycol.
- Add the ingredients of phase B one by one, stir in until completely dissolved (Propeller stirrer 400 - 500rpm)
- Adjust the pH value with L-Arginine.

Colored Gel EyeLiner GREY

COLOUR COSMETICS | EYE MAKE-UP
RR-05-92-00

Tentative Formulation

Parameter

Apperance	grey	Method	PV-202
pH-value	6.50 - 7.00	Method	PV-036
Viscosity	1500 - 2000 mPa*s	Method	Rheometer, CP 1°/40mm, 25°C, 10 RPM
NOC _{incl.water}	92.2 %	Method	ISO 16128

The stability test is ongoing.

Ingredients:

AQUA/WATER, ACRYLIC ACID / ISOBUTYL ACRYLATE / ISOBORNYL ACRYLATE COPOLYMER, BUTYLENE GLYCOL, CI 77891/ TITANIUM DIOXIDE, CI 77491/IRON OXIDES, XANTHAN GUM, ARGININE, GLYCERIN, SODIUM METHYL 2-SULFOLAURATE, 1,2-HEXANEDIOL, CI 77510/FERRIC AMMONIUM FERROCYANIDE, HYDROXYACETOPHENONE, COCO-GLUCOSIDE, POLYGLYCERYL-10 LAURATE, DISODIUM 2-SULFOLAURATE, PHENYLPROPANOL, SODIUM CITRATE, GLYCERYL ISOSTEARATE, CITRIC ACID

Use Instructions

Apply eyeliner directly to the eyelid.

Remarks

Not for sale / not for commercial use. For questions concerning product safety and dangerous substance classification you should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. Due to the different liability status for colors, please check the registration status for your country.