



# Liquid Eyeliner - Midnight Blue

COLOUR COSMETICS | EYE MAKE UP  
RR-03-05-02

**WorléeMicromer C50/25** is free of preservatives and emulsifying agents. WorléeMicromer C50/25 builds clear, glossy films and improves dispersion of pigments in the formulation.

Phase	Ingredient	INCI	Supplier	%
A	Water	Aqua		61,30
	Keltrol CG-T	Xanthan Gum	CP Kelco	0,45
	1,2-Propylene Glycol	Propylene Glycol	Sigma-Aldrich	3,00
	Organic Glycerin	Glycerin	Worlée	3,00
B	WorléeMicromer C50/25	Ammonium Acrylates Copolymer	Worlée	16,00
C	WorléeBase AQ 77266/1	Aqua and Ammonium Acrylates Copolymer and CI 77266 (nano) and Methylpropanediol and Dimethicone and Caprylyl Glycol and Phenylpropanol	Worlée	2,50
	SynCrystal Sapphire	Synthetic Fluorophlogopite and Titanium Dioxide and Ferric Ferrocyanide and Tin Oxide	Eckart	13,00
D	Euxyl PE 9010	Phenoxyethanol and Ethylhexylglycerin	Schülke & Mayr	0,75
<b>Total:</b>				<b>100,00</b>

## PROCEDURE

1. Add Propylene Glycol and Glycerin into water and mix until uniform.
2. Then disperse Xanthan Gum into water phase.
3. While stirring add phase B.
4. Add phase C and continue stirring.
5. Add phase D and stir until uniform.

## PARAMETER

pH: 8.0 - 9.0

## STABILITY

Stable for at least 3 months at RT and 40°C.

CREATED AT: 2013-10-21

BY: SAM