



Long Lasting Gloss Gel-Eyeliner - Iron Black

Colour Cosmetics | Eye Make Up
RR03-13-00

Gel-Eyeliner with WorléeBase AQ 77499/1 and WorléeMicromer C60/42. WorléeAqua Thix 100 imparts the right flow and rheological properties. The eyeliner is long lasting, smudge-proof and quick drying.

Phase	Ingredient	INCI [EU]	Supplier	%
A	Water	Aqua		22.77
	WorléeAqua Thix 100	Acrylates Crosspolymer	Worlée	2.50
B	Sodium Hydroxide 25%	Aqua and Sodium Hydroxide	Applichem	0.73
C	Sil-O-San 8611C	PEG-12 Dimethicone	Schill & Seilacher	3.00
D	WorléeBase AQ 77499/1	Aqua and CI77499 and Methylpropanediol and Ammonium Acrylates Copolymer and Simethicone and Caprylyl Glycol and Phenylpropanol and Sodium Acrylates Copolymer	Worlée	35.00
	WorléeMicromer C60/42	Ammonium Acrylates Copolymer	Worlée	35.00
E	Microcare PE	Phenoxyethanol	Thor	0.90
	Microcare Emollient EHG	Ethylhexylglycerin	Thor	0.10
Total:				100.00

PROCEDURE

Mix phase A until uniform.

Add phase B while stirring to get a clear gel.

Add phase C to E separately and stir until uniform.

PARAMETER

Appearance:	black viscous liquid	Method:	PV-202
pH-Value:	8.0 - 9.0	Method:	PV-036
Viscosity:	900 - 1300	Method:	Rheometer, CP 4°/40mm, 25°C, 10 RPM
Viscosity:	150 - 400	Method:	Rheometer, CP 4°/40mm, 25°C, 100 RPM

PACKAGING

Example: PETG-Bottle, transparent, dipliner applicator

STABILITY

Storage at RT (18 - 23°C):	min. 3 months
Storage at 40°C:	min. 3 months

CREATED AT: 12/01/2015

BY: SAM

VERS.: 1